





WO 2005/011730 PCT/GB2004/003285
































9/9

#### HLA class I histocompatibility antigen A-2

mavmaprtlv	lllsgalalt	qtwagshsmr	yfftsvsrpg	rgeprfiavg	yvddtqfvrf
dsdaasqrme	prapwieqeg	peywdgetrk	vkahsqthrv	dlgtlrgyyn	gseagshtvg
			kedlrswtaa		
raylegtcve	wlrrylengk	etlqrtdapk	thmthhavsd	heatlrcwal	sfypaeitlt
wqrdgedqtq	dtelvetrpa	gdgtfqkwaa	vvvpsgqeqr	ytchvqhegl	pkpltlrwep
ssqptipivg	iiaglvlfga	vitgavvaav	mwrrkssdrk	ggsysqaass	dsaggsdvsl
tackv					

#### HLA class I histocompatibility antigen B-7

mlvmaprtvl	lllsaalalt	etwagshsmr	yfytsvsrpg	rgeprfisvg	yvddtqfvrf
dsdaaspree	prapwieqeg	peywdrntqi	ykaqaqtdre	slrnlrgyyn	qseagshtlq
			nedlrswtaa		
raylegecve	wlrrylengk	dkleradppk	thvthhpisd	heatlrcwal	gfypaeitlt
wqrdgedqtq	dtelvetrpa	gdrtfqkwaa	vvvpsgeeqr	ytchvqheql	pkpltlrwep
ssqstvpivg	ivaglavlav	vvigavvaav	mcrrkssggk	ggsysqaacs	dsaggsdvsl
ta		_			

# FIG. 13

#### HLA class II histocompatibility antigen DRB3-1

mvclklpggs slaaltvtlm vlssrlafag dtrprflelr ksechffngt ervryldryf hnqeeflrfd sdvgeyravt elgrpvaesw nsqkdlleqk rgrvdnycrh nygvgesftv qrrvhpqvtv ypaktqplqh hnllvcsvsg fypgsievrw frngqeekag vvstgliqng dwtfqtlvml etvprsgevy tcqvehpsvt saltvewrar sesaqskmls gvggfvlgll flgaglfiyf rnqkghsglq ptgfls

#### MHC class II histocompatibility antigen HLA-DQ alpha 1

milnkalllg alalttvmsp cggedivadh vasygvnlyq sygpsgqyth efdgdeqfyv dlgrketvwc lpvlrqfrfd pqfaltniav tkhnlnilik rsnstaatne vpevtvfsks pvtlgqpntl iclvdnifpp vvnitwlsng hsvtegvset sflsksdhsf fkisyltflp sadeiydckv ehwgldepll khwepeipap mseltetvvc alglsvglvg ivvgtvfiir glrsvgasrh qgpl

FIG. 14